


Metacrilato, plástico, madera, laton, aluminio


T1

- Fresa en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Económica.



CODE	d	h	L	øD	Comentarios	Precio
BR-2-GJ3.0.503	0,5	3	38	3		12
BR-2-GJ3.0.803	0.8	3	38	3		12
BR-2-GJ3.1.03	1.0	3	38	3		12
BR-2-GJ3.106	1.0	6	38	3		12
BR-2-GJ3.1.204	1.2	4	38	3		12
BR-2-GJ3.1.206	1.2	6	38	3		12
BR-2-GJ3.1.210	1.2	10	38	3		12
BR-2-GJ3.1.505	1.5	5	38	3		12
BR-2-GJ3.1.507	1.5	7	38	3		12
BR-2-GJ3.1.512	1.5	12	38	3		12
BR-2-GJ3.206	2	6	38	3		12
BR-2-GJ3.208	2	8	38	3		12
BR-2-GJ3.212	2	12	38	3		12
BR-2-GJ3.215	2	15	38	3		12
BR-2-GJ3.217	2	17	38	3		12
BR-2-GJ3.222	2	22	50	3		12
BR-2-GJ3.2.411	2.4	11	38	3		12
BR-2-GJ3.2.508	2.5	8	38	3		12
BR-2-GJ3.2.510	2.5	10	38	3		12
BR-2-GJ3.2.512	2.5	12	38	3		12
BR-2-GJ3.2.515	2.5	15	38	3		12
BR-2-GJ3.2.517	2.5	17	38	3		12
BR-2-GJ3.2.522	2.5	22	50	3		12
BR-2-GJ3.06	3	6	38	3		12
BR-2-GJ3.08	3	8	38	3		12
BR-2-GJ3.10	3	10	38	3		12
BR-2-GJ3.15	3	15	38	3		12
BR-2-GJ3.20	3	20	45	3		12
BR-2-GJ3.25	3	25	50	3		12
BR-2-GJ3.32	3	32	60	3		12

- Fresa en metal duro .
- 1 labio de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Alta calidad.



CODE	D1	L1	LG	øS	Comentarios	Precio
BR-1-GI3.1025	1	2.5	38	3		12,5
BR-1-GI3.103	1	3	38	3		12,5
BR-1-GI3.104	1	4	38	3		12,5
BR-1-GI3.1.504	1.5	4	38	3		12,5
BR-1-GI3.1.506	1.5	6	38	3		12,5
BR-1-GI3.1.508	1.5	8	38	3		12,5
BR-1-GI3.1.510	1.5	10	38	3		12,5
BR-1-GI3.1.512	1.5	12	38	3		12,5
BR-1-GI3.205	2	5	38	3		12,5
BR-1-GI3.208	2	8	38	3		12,5
BR-1-GI3.210	2	10	38	3		12,5
BR-1-GI3.212	2	12	38	3		12,5
BR-1-GI3.215	2	15	38	3		12,5
BR-1-GI3.217	2	17	45	3		12,5
BR-1-GI3.222	2	22	45	3		12,5
BR-1-GI3.2.508	2.5	8	38	3		12,5
BR-1-GI3.2.510	2.5	10	38	3		12,5
BR-1-GI3.2.512	2.5	12	38	3		12,5
BR-1-GI3.2.515	2.5	15	38	3		12,5
BR-1-GI3.2.517	2.5	17	45	3		12,5
BR-1-GI3.2.522	2.5	22	50	3		12,5
BR-1-GI3.06	3.0	6	38	3		12,5
BR-1-GI3.08	3.0	8	38	3		12,5
BR-1-GI3.10	3.0	10	38	3		12,5
BR-1-GI3.12	3.0	12	38	3		12,5
BR-1-GI3.15	3.0	15	38	3		12,5
BR-1-GI3.17	3.0	17	38	3		12,5
BR-1-GI3.20	3.0	20	45	3		12,5
BR-1-GI3.22	3.0	22	45	3		12,5

- Fresa en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Económica.



CODE	d	L	h	øD	Comentarios	Precio
BR-1-LC3.0.802	0.8	2	38	3.0		12,5
BR-1-LC3.103	1	3	38	3.0		12,5
BR-1-LC3.104	1	4	38	3.0		12,5
BR-1-LC3.1.504	1.5	4	38	3.0		12,5
BR-1-LC3.1.506	1.5	6	38	3.0		12,5
BR-1-LC3.1.510	1.5	10	38	3.0		12,5
BR-1-LC3.1.512	1.5	12	38	3.0		12,5
BR-1-LC3.205	2	5	38	3.0		12,5
BR-1-LC3.208	2	8	38	3.0		12,5
BR-1-LC3.210	2	10	38	3.0		12,5
BR-1-LC3.215	2	15	38	3.0		12,5
BR-1-LC3.222	2	22	45	3.0		12,5
BR-1-LC3.2.508	2.5	8	38	3.0		12,5
BR-1-LC3.2.510	2.5	10	38	3.0		12,5
BR-1-LC3.2.515	2.5	15	38	3.0		12,5
BR-1-LC3.2.522	2.5	22	50	3.0		12,5
BR-1-LC3.10	3.0	10	38	3.0		12,5
BR-1-LC3.15	3.0	15	38	3.0		12,5
BR-1-LC3.22	3.0	22	45	3.0		12,5

Conica de grabado

T4

- Fresa en metal duro .
- Punta conica.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Recubrimiento Ti.




CODE	d	a	L	øD	Comentarios	Precio
BR-1-GA3.2001	0.05-0.5	20	33	3		14
BR-1-GA3.2002	0.55-1.0	20	33	3		14
BR-1-GA3.2003	1.05-2.0	20	33	3		14
BR-1-GA3.2004	2.05-2.5	20	33	3		14
BR-1-GA3.2501	0.05-0.5	25	33	3		14
BR-1-GA3.2502	0.55-2.0	25	33	3		14
BR-1-GA3.3001	0.05-0.5	30	33	3		14
BR-1-GA3.3002	0.55-1.0	30	33	3		14
BR-1-GA3.3003	1.05-2.0	30	33	3		14
BR-1-GA3.3004	2.05-2.5	30	33	3		14
BR-1-GA3.3501	0.05-0.5	35	33	3		14
BR-1-GA3.3502	0.55-2.0	35	33	3		14
BR-1-GA3.4001	0.05-0.5	40	33	3		14
BR-1-GA3.4002	0.55-2.0	40	33	3		14
BR-1-GA3.4501	0.05-0.5	45	33	3		14
BR-1-GA3.4502	0.55-2.0	45	33	3		14
BR-1-GA3.6001	0.05-0.5	60	33	3		14
BR-1-GA3.6002	0.55-2.0	60	33	3		14
BR-1-GA3.9001	0.05-0.5	90	33	3		14
BR-1-GA3.9002	0.55-2.0	90	33	3		14
BR-1-GA3.10001	0.05-0.5	100	33	3		14
BR-1-GA3.10002	0.55-2.0	100	33	3		14
BR-1-GA3.12001	0.05-0.5	120	33	3		14
BR-1-GA3.13001	0.05-0.5	130	33	3		14
BR-1-GA3.13002	0.55-2.0	130	33	3		14
BR-1-GA3.15001	0.05-0.5	150	33	3		14
BR-1-GA3.15002	0.55-2.0	150	33	3		14
BR-1-GA3.16001	0.05-0.5	160	33	3		14

Broca PCB

T5


- Broca en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.



CODE	d	h	L	ØD	Comentarios	Precio
BR-1-XB0.15	0.15	2	38.1	3.175		3.0
BR-1-XB0.20	0.20	3.5	38.1	3.175		3.0
BR-1-XB0.25	0.25	3.5	38.1	3.175		3.0
BR-1-XB0.30	0.30	4	38.1	3.175		3.0
BR-1-XB0.35	0.35	5	38.1	3.175		3.0
BR-1-XB0.40	0.40	5	38.1	3.175		3.0
BR-1-XB1.00	1.00	10.5	38.1	3.175		3.0
BR-1-XB1.05	1.05	10.5	38.1	3.175		3.0
BR-1-XB1.10	1.10	10.5	38.1	3.175		3.0
BR-1-XB1.15	1.15	10.5	38.1	3.175		3.0
BR-1-XB1.20	1.20	10.5	38.1	3.175		3.0
BR-1-XB1.25	1.25	12	38.1	3.175		3.0
BR-1-XB1.30	1.30	12	38.1	3.175		3.0
BR-1-XB2.00	2.00	12	38.1	3.175		3.0
BR-1-XB2.05	2.05	12	38.1	3.175		3.0
BR-1-XB3.00	3.00	12	38.1	3.175		3.0
BR-1-XB3.175	3.175	12	38.1	3.175		3.0
BR-1-XA3.20	3.20	12	38.1	3.175		10
BR-1-XA3.25	3.25	12	38.1	3.175		10
BR-1-XA3.30	3.30	12	38.1	3.175		10
BR-1-XA4.00	4.00	12	38.1	3.175		12
BR-1-XA4.05	4.05	12	38.1	3.175		12
BR-1-XA4.10	4.10	12	38.1	3.175		12
BR-1-XA4.50	4.50	12	38.1	3.175		12,5
BR-1-XA4.55	4.55	12	38.1	3.175		12,5
BR-1-XA5.00	5.00	12	38.1	3.175		14
BR-1-XA5.05	5.05	12	38.1	3.175		14
BR-1-XA5.10	5.10	12	38.1	3.175		14
BR-1-XA6.00	6.00	12	38.1	3.175		16
BR-1-XA6.50	6.50	12	38.1	3.175		16

T6**Fresado dental**

- Fresa punta redonda en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Especial para materiales abrasivos.



CODE	d	h	L	øD	Comentarios	Precio
BR-1-MC4.0.5	0.5	2	50	4		22
BR-1-MC4.0.75	0.75	3	50	4		22
BR-1-MC4.1	1	4	50	4		22
BR-1-MC4.1.25	1.25	5	50	4		22
BR-1-MC4.1.5	1.5	6	50	4		22
BR-1-MC4.1.75	1.75	7	50	4		22
BR-1-MC4.2	2	8	50	4		22
BR-1-MC6.0.5	0.5	2	50	6		29
BR-1-MC6.0.75	0.75	3	50	6		29
BR-1-MC6.1	1	4	50	6		29
BR-1-MC6.1.5	1.5	6	50	6		29
BR-1-MC6.2	2	8	50	6		29
BR-1-MC6.2.5	2.5	10	50	6		29
BR-1-MC6.3	3	12	50	6		29

Fresado dental (Cuello largo)

- Fresa punta redonda en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.



CODE	d	L1	L2	L	∅D	Comentarios	Precio
BR-2-MF025	1.0	2.2	16	16	4		29
BR-1-MF026	1.0	2.2	8	8	4		29
BR-1-MF027	1.0	2.2	10	10	4		29
BR-1-MF028	1.0	2.2	12	12	4		29
BR-1-MF029	1.0	2.2	14	14	4		29
BR-1-MF030	1.0	2.2	16	16	4		29
BR-1-MF031	1.5	3.2	8	8	4		29
BR-1-MF032	1.5	3.2	10	10	6		29
BR-1-MF033	1.5	3.2	12	12	6		29
BR-1-MF034	1.5	3.2	14	14	6		29
BR-1-MF035	1.5	3.2	16	16	6		29
BR-1-MF036	1.5	3.2	20	20	6		29

Micro Fresa

T8

- Fresa punta redonda en metal duro .
- 2 labios de corte.
- Alta capacidad de avance de corte.
- Excelente capacidad de evacuación de viruta.
- Especial para materiales abrasivos.



CODE	D(μ)	H(μ)	L*	ϕ D	Precio
BR-1-M2X5	5	15	50	4	
BR-1-M2X10	10	30	50	4	
BR-1-M2X15	15	45	50	4	
BR-1-M2X20	20	60	50	4	
BR-1-M2x25	25	75	50	4	
BR-1-M2x50	50	150	50	4	
BR-1-M2x75	75	225	50	4	
BR-1-M2x100	100	300	50	6	
BR-1-M2x125	125	375	50	6	
BR-1-M2x150	150	450	50	6	
BR-1-M2x175	175	525	50	6	
BR-1-M2x.200	200	600	50	6	
BR-1-M2x.250	250	750	50	6	
BR-1-M2x.300	300	900	50	6	
BR-1-M2x.350	350	1050	50	6	
BR-1-M2x.400	400	1200	50	6	